DATA SHEET | 2024








eclipse

ECLIPSE Neon Flex - Blue

SNL100



| PART DESCRIPTION | SL100 ECLIPSE NEON FLEX |
|--------------------------|---|
| Part Number | 60-0511-1000 - ECLIPSE Neon Flex SNL100 - Blue (1m) 60-0511-2500 - ECLIPSE Neon Flex SNL100 - Blue (2.5m) 60-0511-5000 - ECLIPSE Neon Flex SNL100 - Blue (5m) |
| Available Colors | Blue |
| LED Type/Density | 60 Blue LEDs Per Meter |
| Warranty | 3 Years |
| Customer Control Options | On/Off Switch ECLIPSE Command Center |
| Mechanical Installation | Cut to Length (Seal before Installation) Bottom or Side Cable Entry Option (Fit and Seal Before Installation) |
| Electrical Installation | Simple 2 Wire Installation |



EMEAA: Info@Lumishore.com | USA: Sales@LumishoreUSA.com

Units 11 & 12, Ashmount Business Park, Upper Fforest Way, Swansea, SA6 8QR | 7137 24th Court East, Sarasota, FL 34243, USA

DATA SHEET | 2024



SNL100

NEON FLEX STRIP LIGHT

| TECHNICAL | |
|-------------------------------------|---------------------------|
| Supply Voltage Range | 12V DC Only (10 - 15V DC) |
| Max Current Draw Per Meter (12V DC) | 0.5A (6W/m) |

| PHYSICAL | | |
|---------------------------|---|--|
| Ingress Protection | IP68 | |
| Illuminated Cross Section | 12.0mm x 6.1mm (0.433" x 0.240") | |
| End Cap Dimensions | 14.0mm x 8.0mm (0.551" x 0.314") | |
| Lengths Available | 1m, 2.5m and 5m 39", 98" and 196" (Cut and Seal) | |
| Construction | Fully Encapsulated and Potted with Spot Free Diffuser | |
| Mechanical Installation | Cut to Length and Seal before Install. Cut in 25mm Steps. Stainless Steel Screw Clips for Mounting. | |
| Weight Per M (yd) | 86g (3 oz) | |
| UV Resistant | Yes | |
| Salt Spray Tested | Yes | |
| Installation Location | Outdoor / Partially Covered Areas / Indoor | |





| ACCESSORIES | |
|--------------------------------|---------|
| ECLIPSE Command Center | 60-0495 |
| Expansion Module (Single Zone) | 60-0496 |
| Expansion Module (Double Zone) | 60-0497 |
| Stainless Steel Clips | 60-0514 |

| LIGHTING SYSTEM FUNCTIONALITY (ON/OFF SWITCH) | |
|---|-----|
| On/Off Control | Yes |
| Dimming Control | No |

| LIGHTING SYSTEM FUNCTIONALITY (ECLIPSE COMMAND CENTER) | | |
|--|-----|--|
| From Smart Device/MFD: | | |
| On/Off Control | Yes | |
| Dimming Control | Yes | |
| Zone Control | Yes | |
| From Momentary Switch (Optional): | | |
| On/Off Control | Yes | |
| Dimming Control | Yes | |

ECLIPSE-SNL100-FLEX-BLUE-11.23